

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (previously presented) A method for feeding an infant with milk equivalent infant formula, the method comprising:

(a) feeding the infant by fore-milk equivalent infant formula; and

(b) feeding the infant by hind-milk equivalent infant formula,

wherein said feeding by fore-milk equivalent infant formula and said feeding by hind-milk infant formula equivalent are done sequentially during the same feeding session;

wherein said fore-milk equivalent infant formula contains less fat than said hind-milk equivalent formula; and

wherein the percentage of said fore-milk equivalent infant formula in the total meal volume is 31-55% and the fat content therein is 2.5%-3.5%, and the percentage of said hind-milk equivalent infant formula in the total meal volume is 45-69% and the fat content therein is 3.9% - 5%.

2. (canceled)

3. (previously presented) The method of claim 1, wherein said feeding during said same feeding session is performed by first feeding said fore-milk equivalent infant formula which is gradually admixed with said hind-milk equivalent infant formula.

4. (canceled)

5. (previously presented) The method of claim 1, wherein the percentage of said fore-milk equivalent infant formula in the total meal is 40% and the fat content therein is 3%, and the percentage of said hind-milk equivalent infant formula in the total meal volume is 60% and the fat content therein is 4.8%.

6. (previously presented) The method of claim 1, wherein said feeding during said same feeding session is performed using two bottles, one being filled with said fore-milk equivalent infant formula and one being filled with said hind-milk equivalent infant formula, the contents of said bottles being fed to the infant one after the other.

7. (previously presented) The method of claim 1, wherein said feeding during said same feeding session is performed with a bottle which is divided into two compartments, one said compartment being filled with said

fore-milk equivalent infant formula and the other compartment being filled with said hind-milk equivalent infant formula, the bottle enabling the infant to consume at first said fore-milk equivalent infant formula and thereafter said fore-milk equivalent infant formula gradually admixed with said hind-milk equivalent infant formula.

8-14. (canceled)

15. (Previously Presented) The method of claim 1, wherein said feeding the infant by fore-milk equivalent is done prior to said feeding the infant by hind-milk equivalent.

16. (canceled)

17. (currently amended) A method for feeding an infant with milk equivalent infant formula, the method comprising:

(a) feeding the infant with ~~fore-milk~~ hind-milk equivalent infant formula; and

(b) then feeding the infant with ~~hind-milk~~ fore-milk equivalent infant formula,

wherein said feeding by hind-milk equivalent infant formula and then said feeding by fore-milk equivalent infant formula are done sequentially during the same feeding session,

wherein said fore-milk equivalent infant formula
~~said fore milk equivalent infant formula contains less fat~~
than said hind-milk equivalent infant formula.

18. (previously presented) A method for feeding an infant with milk equivalent infant formula, comprising

(a) first feeding the infant by fore-milk equivalent infant formula; and

(b) then feeding the infant by hind-milk equivalent infant formula,

wherein said feeding of the infant by hind-milk equivalent infant formula occurs by gradually admixing said hind-milk equivalent infant formula with said fore-milk equivalent infant formula;

wherein said fore-milk equivalent infant formula contains less fat than said hind-milk equivalent infant formula.

19. (previously presented) The method of claim 17, wherein the percentage of said fore-milk equivalent infant formula in the total meal volume is 31-55% and the fat content therein is 2.5-3.5%, and the percentage of said hind-milk equivalent infant formula in the total meal volume is 45-69% and the fat content therein is 3.9-5%.

20. (previously presented) The method of claim 18, wherein the percentage of said fore-milk equivalent infant formula in the total meal volume is 31-55% and the fat content therein is 2.5-3.5%, and the percentage of said hind-milk equivalent infant formula in the total meal volume is 45-69% and the fat content therein is 3.9-5%.

21. (previously presented) The method of claim 19, wherein the percentage of said fore-milk equivalent infant formula in the total meal is 40% and the fat content therein is 3%, and the percentage of said hind-milk equivalent infant formula in the total meal volume is 60% and the fat content therein is 4.8%.

22. (previously presented) The method of claim 20, wherein the percentage of said fore-milk equivalent infant formula in the total meal is 40% and the fat content therein is 3%, and the percentage of said hind-milk equivalent infant formula in the total meal volume is 60% and the fat content therein is 4.8%.